

Utilizamos cookies para melhorar a sua experiência de navegação e manutenção da página. Para continuar navegando, implica que está de acordo com o uso dos cookies.

[SAIBA MAIS \(HTTP://PT.ESAB.NET/PT/PT/ABOUT/PRIVACY.CFM\)](http://pt.esab.net/pt/pt/about/privacy.cfm)

[FECHAR \(\)](#)



COMBIREX DX


SOLICITE UMA COTAÇÃO DESTE PRODUTO.

[DESCRIÇÃO GERAL \(/PT/PT/PRODUCTS/INDEX.CFM?
FUSEACTION=HOME.PRODUCT&PRODUCTCODE=500002&TAB=1\)](http://pt.esab.net/pt/pt/products/index.cfm?fuseaction=home.product&productcode=500002&tab=1)

[DOCUMENTOS E ESPECIFICAÇÕES](#)

[INFORMAÇÕES PARA ENCOMENDA \(/PT/PT/PRODUCTS/INDEX.CFM?
FUSEACTION=HOME.PRODUCT&PRODUCTCODE=500002&TAB=4\)](http://pt.esab.net/pt/pt/products/index.cfm?fuseaction=home.product&productcode=500002&tab=4)

[TODOS MÁQUINAS DE CORTE POR PLASMA \(/PT/PT/PRODUCTS/INDEX.CFM?
FUSEACTION=HOME.PRODUCT&PRODUCTCODE=500002&TAB=5\)](http://pt.esab.net/pt/pt/products/index.cfm?fuseaction=home.product&productcode=500002&tab=5)



Especificações de Corte

Model	2500	3000	3500	4000
Bitola	98.4 in.	118.1 in.	137.8 in.	157.5 in.
	2,500 mm	3000 mm	3,500 mm	4000 mm
Folga Interna	86 in.	106 in.	126 in.	145 in.
	2184 mm	2692 mm	3200 mm	3683 mm
Largura Máxima da Mesa	77 in.	96.5 in.	116 in.	136 in.
	1956 mm	2451 mm	2947 mm	3454 mm
Largura Máxima Recomendada da Chapa	5 ft	6 ft	8 ft	10 ft
	1.5 m	2 m	2.4 m	3 m
Machine Width	143 in.	162 in.	182 in.	202 in.
	3625 mm	4125 mm	4625 mm	5125 mm

General Machine Specifications

Altura da Mesa de Trabalho	26-30 in. (660-762 mm)
Área de Estacionamento	57 in. (1,440 mm)
Intervalo de Velocidade	2-1,000 in./min (50-25,000 mm/min)
Machine Height	83 in. (2100 mm)

Tensões nominais de entrada

Amps	30 A
------	------

Fases	1
Frequência Hz	50/60 Hz
VCA	230/460/575 VAC

Tool Specifications

Model	Combirex™ DX 2500	Combirex™ DX 3000	Combirex™ DX 3500	Combirex™ DX 4000
Curso Transversal Máximo 1 Ferramenta	78.7 in. 2000 mm	98.4 in. 2500 mm	118.1 in. 3000 mm	137.8 in. 3500 mm
Curso Transversal Máximo 2 Ferramentas	78.7 in. 2000 mm	98.4 in. 2500 mm	118.1 in. 3000 mm	137.8 in. 3500 mm
Curso Transversal Máximo 3 Ferramentas	70.8 in. 1800 mm	90.5 in. 2300 mm	110.2 in. 2800 mm	129.9 in. 3300 mm
Curso Transversal Máximo 4 Ferramentas	63 in. 1600 mm	82.7 in. 2100 mm	102.3 in. 2600 mm	122 in. 3100 mm
